

Fushun Petrochemical

PP

V30G

Product information

Manufacturer Fushun Petrochemical Co.,Ltd

Mechanical behavior	Condition	Standard	Value	Unit
Charpy	Notch Impact	ISO 179	1.7	kJ/m ²
Flexural	Modulus 23°C	ISO 178	1139	MPa
Tensile	Strength Yield 23°C	ISO 527	32	MPa
Optical performance	Condition	Standard	Value	Unit
Yellow	Index	DIN 6167	-1.4	YI
Physical property	Condition	Standard	Value	Unit
Ash			0.021	
Melt	Index 230°C 2.16kg	ISO 1133	17	g/10min